

| COEFICIENTES DE MAREAS AÑO 2022 | | | | | | | | | | | | | | | | | |
|---------------------------------|------|------|---------|------|------|-------|------|------|-------|------|------|------|------|-------|----|------|------|
| ENERO | | | FEBRERO | | | MARZO | | | ABRIL | | | MAYO | | JUNIO | | | |
| | 0H | 12H | | 0H | 12H | | 0H | 12H | | 0H | 12H | | 0H | 12H | | | |
| 1 | 0.90 | 0.92 | 1 | 0.97 | 0.98 | 1 | 0.93 | 0.97 | 1 | 0.98 | 0.96 | 1 | 0.85 | 0.82 | 1 | 0.68 | 0.65 |
| 2 | 0.94 | 0.95 | 2 | 0.98 | 0.96 | 2 | 0.99 | 1.01 | 2 | 0.94 | 0.90 | 2 | 0.79 | 0.75 | 2 | 0.62 | 0.59 |
| 3 | 0.95 | 0.93 | 3 | 0.94 | 0.90 | 3 | 1.01 | 1.00 | 3 | 0.86 | 0.82 | 3 | 0.71 | 0.67 | 3 | 0.56 | 0.53 |
| 4 | 0.91 | 0.89 | 4 | 0.86 | 0.81 | 4 | 0.97 | 0.94 | 4 | 0.76 | 0.71 | 4 | 0.62 | 0.57 | 4 | 0.50 | 0.47 |
| 5 | 0.85 | 0.81 | 5 | 0.76 | 0.70 | 5 | 0.90 | 0.85 | 5 | 0.65 | 0.58 | 5 | 0.52 | 0.47 | 5 | 0.45 | 0.44 |
| 6 | 0.77 | 0.72 | 6 | 0.64 | 0.57 | 6 | 0.79 | 0.73 | 6 | 0.52 | 0.46 | 6 | 0.43 | 0.39 | 6 | 0.43 | 0.43 |
| 7 | 0.67 | 0.62 | 7 | 0.51 | 0.46 | 7 | 0.66 | 0.59 | 7 | 0.40 | 0.34 | 7 | 0.35 | 0.33 | 7 | 0.45 | 0.47 |
| 8 | 0.58 | 0.54 | 8 | 0.41 | 0.36 | 8 | 0.52 | 0.46 | 8 | 0.30 | 0.27 | 8 | 0.33 | 0.34 | 8 | 0.51 | 0.55 |
| 9 | 0.50 | 0.47 | 9 | 0.34 | 0.33 | 9 | 0.39 | 0.34 | 9 | 0.27 | 0.29 | 9 | 0.37 | 0.42 | 9 | 0.60 | 0.65 |
| 10 | 0.45 | 0.43 | 10 | 0.33 | 0.36 | 10 | 0.29 | 0.27 | 10 | 0.33 | 0.38 | 10 | 0.47 | 0.53 | 10 | 0.70 | 0.74 |
| 11 | 0.43 | 0.44 | 11 | 0.39 | 0.43 | 11 | 0.27 | 0.29 | 11 | 0.45 | 0.52 | 11 | 0.60 | 0.66 | 11 | 0.79 | 0.83 |
| 12 | 0.45 | 0.47 | 12 | 0.48 | 0.53 | 12 | 0.33 | 0.39 | 12 | 0.59 | 0.66 | 12 | 0.73 | 0.79 | 12 | 0.87 | 0.90 |
| 13 | 0.50 | 0.53 | 13 | 0.58 | 0.63 | 13 | 0.45 | 0.51 | 13 | 0.73 | 0.80 | 13 | 0.85 | 0.90 | 13 | 0.92 | 0.94 |
| 14 | 0.56 | 0.59 | 14 | 0.68 | 0.73 | 14 | 0.58 | 0.64 | 14 | 0.86 | 0.92 | 14 | 0.94 | 0.98 | 14 | 0.94 | 0.94 |
| 15 | 0.62 | 0.65 | 15 | 0.77 | 0.81 | 15 | 0.71 | 0.77 | 15 | 0.96 | 1.00 | 15 | 1.00 | 1.01 | 15 | 0.92 | 0.90 |
| 16 | 0.68 | 0.71 | 16 | 0.84 | 0.87 | 16 | 0.83 | 0.88 | 16 | 1.03 | 1.04 | 16 | 1.00 | 0.98 | 16 | 0.87 | 0.84 |
| 17 | 0.73 | 0.75 | 17 | 0.89 | 0.90 | 17 | 0.92 | 0.96 | 17 | 1.04 | 1.02 | 17 | 0.95 | 0.91 | 17 | 0.80 | 0.75 |
| 18 | 0.76 | 0.77 | 18 | 0.91 | 0.91 | 18 | 0.99 | 1.01 | 18 | 0.99 | 0.95 | 18 | 0.86 | 0.81 | 18 | 0.71 | 0.67 |
| 19 | 0.78 | 0.78 | 19 | 0.90 | 0.88 | 19 | 1.01 | 1.00 | 19 | 0.90 | 0.83 | 19 | 0.75 | 0.69 | 19 | 0.64 | 0.61 |
| 20 | 0.77 | 0.77 | 20 | 0.85 | 0.81 | 20 | 0.98 | 0.95 | 20 | 0.76 | 0.69 | 20 | 0.63 | 0.58 | 20 | 0.58 | 0.56 |
| 21 | 0.75 | 0.74 | 21 | 0.76 | 0.71 | 21 | 0.91 | 0.85 | 21 | 0.61 | 0.54 | 21 | 0.55 | 0.52 | 21 | 0.55 | 0.54 |
| 22 | 0.72 | 0.69 | 22 | 0.65 | 0.60 | 22 | 0.79 | 0.72 | 22 | 0.49 | 0.45 | 22 | 0.51 | 0.52 | 22 | 0.54 | 0.54 |
| 23 | 0.67 | 0.64 | 23 | 0.54 | 0.49 | 23 | 0.64 | 0.57 | 23 | 0.44 | 0.45 | 23 | 0.53 | 0.56 | 23 | 0.55 | 0.56 |
| 24 | 0.61 | 0.58 | 24 | 0.46 | 0.45 | 24 | 0.50 | 0.44 | 24 | 0.49 | 0.53 | 24 | 0.59 | 0.62 | 24 | 0.58 | 0.59 |
| 25 | 0.56 | 0.54 | 25 | 0.46 | 0.50 | 25 | 0.41 | 0.41 | 25 | 0.59 | 0.65 | 25 | 0.65 | 0.68 | 25 | 0.61 | 0.63 |
| 26 | 0.53 | 0.53 | 26 | 0.55 | 0.62 | 26 | 0.44 | 0.50 | 26 | 0.70 | 0.75 | 26 | 0.70 | 0.73 | 26 | 0.64 | 0.66 |
| 27 | 0.55 | 0.58 | 27 | 0.69 | 0.76 | 27 | 0.56 | 0.63 | 27 | 0.79 | 0.83 | 27 | 0.74 | 0.76 | 27 | 0.67 | 0.68 |
| 28 | 0.62 | 0.67 | 28 | 0.82 | 0.88 | 28 | 0.70 | 0.77 | 28 | 0.86 | 0.88 | 28 | 0.76 | 0.77 | 28 | 0.69 | 0.69 |
| 29 | 0.73 | 0.78 | 29 | 0.00 | 0.00 | 29 | 0.83 | 0.88 | 29 | 0.89 | 0.89 | 29 | 0.77 | 0.76 | 29 | 0.69 | 0.69 |
| 30 | 0.83 | 0.88 | 30 | 0.00 | 0.00 | 30 | 0.92 | 0.95 | 30 | 0.88 | 0.87 | 30 | 0.75 | 0.74 | 30 | 0.69 | 0.68 |
| 31 | 0.92 | 0.95 | 31 | 0.00 | 0.00 | 31 | 0.97 | 0.98 | 31 | 0.00 | 0.00 | 31 | 0.72 | 0.70 | 31 | 0.00 | 0.00 |

| COEFICIENTES DE MAREAS AÑO 2022 | | | | | | | | | | | | | | | | | |
|---------------------------------|------|------|--------|------|------|------------|------|------|---------|------|------|-----------|------|-----------|----|------|------|
| JULIO | | | AGOSTO | | | SEPTIEMBRE | | | OCTUBRE | | | NOVIEMBRE | | DICIEMBRE | | | |
| | 0H | 12H | | 0H | 12H | | 0H | 12H | | 0H | 12H | | 0H | 12H | | 0H | 12H |
| 1 | 0.67 | 0.66 | 1 | 0.74 | 0.72 | 1 | 0.70 | 0.65 | 1 | 0.56 | 0.50 | 1 | 0.45 | 0.48 | 1 | 0.56 | 0.59 |
| 2 | 0.64 | 0.63 | 2 | 0.70 | 0.68 | 2 | 0.59 | 0.54 | 2 | 0.44 | 0.41 | 2 | 0.53 | 0.59 | 2 | 0.61 | 0.64 |
| 3 | 0.61 | 0.59 | 3 | 0.65 | 0.62 | 3 | 0.49 | 0.45 | 3 | 0.41 | 0.43 | 3 | 0.65 | 0.71 | 3 | 0.67 | 0.70 |
| 4 | 0.58 | 0.56 | 4 | 0.59 | 0.56 | 4 | 0.43 | 0.44 | 4 | 0.48 | 0.55 | 4 | 0.76 | 0.81 | 4 | 0.72 | 0.74 |
| 5 | 0.55 | 0.54 | 5 | 0.53 | 0.51 | 5 | 0.47 | 0.53 | 5 | 0.63 | 0.70 | 5 | 0.85 | 0.88 | 5 | 0.76 | 0.77 |
| 6 | 0.53 | 0.53 | 6 | 0.51 | 0.51 | 6 | 0.59 | 0.67 | 6 | 0.78 | 0.84 | 6 | 0.90 | 0.91 | 6 | 0.77 | 0.78 |
| 7 | 0.54 | 0.55 | 7 | 0.53 | 0.57 | 7 | 0.74 | 0.82 | 7 | 0.90 | 0.95 | 7 | 0.92 | 0.91 | 7 | 0.77 | 0.77 |
| 8 | 0.57 | 0.59 | 8 | 0.61 | 0.67 | 8 | 0.89 | 0.94 | 8 | 0.99 | 1.01 | 8 | 0.89 | 0.87 | 8 | 0.75 | 0.74 |
| 9 | 0.62 | 0.66 | 9 | 0.73 | 0.79 | 9 | 0.99 | 1.03 | 9 | 1.02 | 1.01 | 9 | 0.84 | 0.81 | 9 | 0.72 | 0.70 |
| 10 | 0.70 | 0.74 | 10 | 0.85 | 0.90 | 10 | 1.04 | 1.05 | 10 | 1.00 | 0.97 | 10 | 0.77 | 0.72 | 10 | 0.67 | 0.64 |
| 11 | 0.78 | 0.82 | 11 | 0.95 | 0.98 | 11 | 1.04 | 1.02 | 11 | 0.93 | 0.89 | 11 | 0.68 | 0.63 | 11 | 0.61 | 0.58 |
| 12 | 0.86 | 0.89 | 12 | 1.00 | 1.01 | 12 | 0.98 | 0.93 | 12 | 0.83 | 0.77 | 12 | 0.57 | 0.52 | 12 | 0.55 | 0.52 |
| 13 | 0.92 | 0.93 | 13 | 1.01 | 0.99 | 13 | 0.88 | 0.81 | 13 | 0.71 | 0.64 | 13 | 0.47 | 0.42 | 13 | 0.49 | 0.46 |
| 14 | 0.94 | 0.94 | 14 | 0.96 | 0.92 | 14 | 0.75 | 0.67 | 14 | 0.58 | 0.51 | 14 | 0.38 | 0.35 | 14 | 0.44 | 0.43 |
| 15 | 0.93 | 0.91 | 15 | 0.87 | 0.82 | 15 | 0.60 | 0.53 | 15 | 0.44 | 0.38 | 15 | 0.33 | 0.32 | 15 | 0.42 | 0.43 |
| 16 | 0.89 | 0.85 | 16 | 0.75 | 0.69 | 16 | 0.45 | 0.39 | 16 | 0.33 | 0.29 | 16 | 0.33 | 0.36 | 16 | 0.44 | 0.46 |
| 17 | 0.81 | 0.77 | 17 | 0.62 | 0.55 | 17 | 0.33 | 0.29 | 17 | 0.26 | 0.27 | 17 | 0.40 | 0.45 | 17 | 0.49 | 0.53 |
| 18 | 0.72 | 0.67 | 18 | 0.49 | 0.43 | 18 | 0.27 | 0.27 | 18 | 0.29 | 0.33 | 18 | 0.50 | 0.56 | 18 | 0.57 | 0.61 |
| 19 | 0.62 | 0.57 | 19 | 0.38 | 0.35 | 19 | 0.30 | 0.34 | 19 | 0.39 | 0.45 | 19 | 0.62 | 0.68 | 19 | 0.66 | 0.70 |
| 20 | 0.53 | 0.49 | 20 | 0.33 | 0.33 | 20 | 0.39 | 0.45 | 20 | 0.52 | 0.58 | 20 | 0.74 | 0.80 | 20 | 0.75 | 0.79 |
| 21 | 0.46 | 0.44 | 21 | 0.35 | 0.38 | 21 | 0.51 | 0.58 | 21 | 0.65 | 0.71 | 21 | 0.84 | 0.89 | 21 | 0.83 | 0.86 |
| 22 | 0.44 | 0.44 | 22 | 0.42 | 0.47 | 22 | 0.64 | 0.70 | 22 | 0.77 | 0.83 | 22 | 0.92 | 0.94 | 22 | 0.89 | 0.91 |
| 23 | 0.45 | 0.47 | 23 | 0.52 | 0.57 | 23 | 0.75 | 0.80 | 23 | 0.88 | 0.92 | 23 | 0.96 | 0.96 | 23 | 0.93 | 0.93 |
| 24 | 0.50 | 0.53 | 24 | 0.62 | 0.66 | 24 | 0.85 | 0.89 | 24 | 0.96 | 0.98 | 24 | 0.95 | 0.94 | 24 | 0.93 | 0.91 |
| 25 | 0.56 | 0.59 | 25 | 0.71 | 0.75 | 25 | 0.92 | 0.95 | 25 | 0.99 | 0.99 | 25 | 0.91 | 0.87 | 25 | 0.89 | 0.86 |
| 26 | 0.62 | 0.65 | 26 | 0.78 | 0.81 | 26 | 0.96 | 0.97 | 26 | 0.98 | 0.96 | 26 | 0.82 | 0.77 | 26 | 0.83 | 0.79 |
| 27 | 0.67 | 0.70 | 27 | 0.84 | 0.86 | 27 | 0.96 | 0.94 | 27 | 0.92 | 0.87 | 27 | 0.72 | 0.67 | 27 | 0.75 | 0.71 |
| 28 | 0.72 | 0.73 | 28 | 0.87 | 0.88 | 28 | 0.91 | 0.88 | 28 | 0.82 | 0.76 | 28 | 0.62 | 0.58 | 28 | 0.67 | 0.63 |
| 29 | 0.75 | 0.76 | 29 | 0.88 | 0.87 | 29 | 0.83 | 0.77 | 29 | 0.69 | 0.62 | 29 | 0.55 | 0.53 | 29 | 0.60 | 0.57 |
| 30 | 0.76 | 0.76 | 30 | 0.85 | 0.83 | 30 | 0.70 | 0.63 | 30 | 0.55 | 0.50 | 30 | 0.53 | 0.54 | 30 | 0.55 | 0.53 |
| 31 | 0.76 | 0.75 | 31 | 0.79 | 0.75 | 31 | 0.00 | 0.00 | 31 | 0.46 | 0.44 | 31 | 0.00 | 0.00 | 31 | 0.52 | 0.52 |